## B3500/3 GEWE three-axle trailer for transporting construction equipment GVW 3500 kg



**Product short description:** 

Internal dimension (cm): 400 x 180 x 25

Capacity: 2668 kg

GVW Min: 2700 kg

GVW Max: 3500 kg

**Product description:** 

A series of trailers intended for the transport of construction machines and very heavy materials. Stable chassis combined with a durable welded structure guarantees many years of durability of BUILDER TEMA trailers. Solid handles for securing the load ensure the safety of transported goods. Car trailers for the transport of BUILDER mini-excavators are available with sides or railings. The ramps can be lifted upwards or hidden under the floor.

Standard equipment

Chassis: Braked three axle AL-KO or KNOTT

Wheels 195/50R 13C

Shaft V-Type

Independent suspension, springed on torsion bar

Overrun brake AL-KO or KNOTT

Jockey wheel

Frame: closed steel profiles, welded

Waterproof plywood, anti-slip floor

Loading ramps: fully or two driveways

Support for excavator bucket

Spare wheel with bracket

Information:

Added specification on the website came from producers and distributors pages, despite the effort while we add them, they could have some mistakes. Descriptions and photos are not basis for claims from our company. If you found some mistakes in our description, please let us know to e-mail address sklep@mazzo.pl