BUILDER 2615/2 TEMARED Two-Axle Trailer for construction equipment transport GVW 2700 kg



Product short description:

Internal dimension (cm): 256 x 152 x 25

Capacity: 2168 kg

GVW Min: 2000 kg

GVW Max: 2700 kg

Product description:

A series of trailers intended for the transport of construction machines and very heavy materials. Stable chassis combined with a durable welded structure guarantees many years of durability of BUILDER TEMA trailers. Solid handles for securing the load ensure the safety of transported goods. Car trailers for the transport of BUILDER mini-excavators are available with sides or railings. The ramps can be lifted upwards or hidden under the floor.

Standard equipment

Chassis: Braked two axle AL-KO or KNOTT 2x1350 kg

Wheels 195/50R 13C

Shaft V-Type

Overrun brake AL-KO or KNOTT

Automatic support wheel

Frame: closed steel profiles, welded

Waterproof plywood, anti-slip floor

GVW possibilities: 2200 kg, 2400 kg, 2500 kg, 2600 kg

SPARE WHEEL AND BRACKET ARE AVAILABLE AT EXTRA COST

Information:

Added specification on the website came from producers and distributors pages, despite the effort while we add them, they could have some mistakes. Descriptions and photos are not basis for claims from our company. If you found some mistakes in our description, please let us know to e-mail address sklep@mazzo.pl