

WIOLA B2630 trailer for transporting construction equipment with a loading gate GVW 2700kg



Product price:

3,103.33 €

Product short description:

Internal dimension (cm): **292 x 142 x 20**

Capacity: **2076 kg**

GVW Min: **1600 kg**

GVW Max: **2700 kg**

Product description:

WIOLA B2630 is a new model of trailer designed for transporting construction equipment. It is equipped with a ramp, which significantly increases safety during the loading. Reinforced fenders (with an additional duralumin sheet) also serve as a stand/step which facilitates getting in / out of the machine. In addition, support for an excavator's bucket is mounted at the front.

Standard equipment:

Overrun device 2700KG by AL-KO KOBER

Bented drawbar made of Domex 420 plate, galvanized, screwed

Bented frame made of Domex 420 plate, galvanized

Side rail 200mm high or 2mm plate sides

Plywood floor, anti-slip

Ramps

Two braked axles both for 1350kg, by AL-KO KOBER with compact bearings

Metal fenders with increased strenght

Dust socket

Wheels 185/R14C

Jockey wheel

Ramp chocks

Belt handles 4 pieces - welded into the frame

Light installation 12V/24V according to the regulation

Added specification on this website are came from producers and distributors pages, despite the effort while we put them they could include some mistakes. Descriptions and photos are not basis for claims from our company. If you will found some mistakes in our description, please let us know on e-mail address

Information:

Added specification on the website came from producers and distributors pages, despite the effort while we add them, they could have some mistakes. Descriptions and photos are not basis for claims from our company. If you found some mistakes in our description, please let us know to e-mail address sklep@mazzo.pl